

P.O Box 123551, Unit 306 Bayswater Tower, Business Bay, Dubai UAE Tel: +971 4 447 2433 Fax: +971 4 447 2434 www.specialgourmetintl.com

## **CF34R Montezuma**

### **Commercial Chocolate Fountain**

The medium three tier fountain reaches the height of 34" (86cm) and has a capacity to hold up to 10Kg of chocolate as it shares the same base as the larger CF44R. This fountain is perfect for all applications including vending from kiosks and general event banqueting and has a market leading minimum chocolate requirement of only 5.4Kg.

Features include a removable bowl which melts the chocolate in the base of the fountatin.



#### **SPECIFICATIONS**

NEW UPGRADED MOTOR AND DUAL FAN MOTOR COOLING PATENT PROTECTED REMOVABLE TIER DESIGN NEW LONG LIFE DRIVE SHAFT - 2000 HOUR SERVICE INTERVAL SANITATION CERTIFIED TO NSF REQUIREMENTS CE, NSF, ETL / ANSI, ROHS, EMC CERTIFIED MIN CHOCOLATE CAPACITY: 5.4KG MAX CHOCOLATE CAPACITY: 5.4KG MAX CHOCOLATE CAPACITY: 10KG MELTS THE CHOCOLATE IN THE BASE OF THE FOUNTAIN REMOVABLE BASIN FOR EASIER CLEANING DIRECT DRIVE MOTOR BRUSHED 304 FOOD GRADE STAINLESS STEEL INCLUDES CUSTOM DOUBLE-WALL POLYMER TRAVEL CASES **5 YEAR LIMITED WARRANTY** 

# CE



#### DIMENSIONS

34" (86CM) H X 18.5" (47CM) W WEIGHT: BASE: 25KG - TIER SET: 18KG DIMENSIONAL SHIPPING WEIGHT: 57KG EXTERNAL BOX 1: 55CM X 55CM X 49CM EXTERNAL BOX 2: 47CM X 92CM X 31CM

"PERFECT FOR USE IN BUFFET RESTAURANTS, CAFES AND KIOSKS"

## **Optional Accessories**

#### CF34R/CF44R Wind / Sneeze Guard

This universal Wind/Sneeze Guard provides 360 degrees of beautiful acrylic protection from the wind and airborne contamination. Outfitted with removable hinges and a removable hinged access door, this Wind/Sneeze Guard allows you to use your fountains in the great outdoors, with no need to worry about wind or bugs. 360 degrees of protection. Allows you to use your fountain for outdoor events. Removable hinged dipping access door with magnet.

NET WEIGHT: 9KG DIMENSIONAL SHIPPING WEIGHT: 33KG EXTERNAL BOX: 51CM X 33CM X 97CM



#### Chocolate

Industry standard and best premium Fountain Ready Belgian Chocolate. Made by Barry Callebaut for Sephra. Available in Dark, Milk and White in 907g, 2,5Kg, 10Kg and 20Kg Bags



#### CF34R/CF44R Illuminated Surround

Made from heavy duty food grade polypropylene, Our surrounds are designed not to break. Don't be fooled into buying cheap perspex alternatitive which will easily break and crack...

The RGB colour changing surround comes complete with an easy to use remote control giving you the ability to control colour shade, speed, pattern etc.

NET WEIGHT: 20KG DIMENSIONALY SHIPPING WEIGHT: 86KG EXTERNAL BOX 1:61CM X 30CM X 117CM EXTERNAL BOX 2:61CM X 30CM X 117CM PADDED CASES INCLUDED



## **Servicing and Spares**

#### CF34/44 Square Shaft Replacement Kit

This kit is to maintain the 34" Montezuma and 44" Sephra commercial chocolate fountain models that have the removable basin and the Square shaft spindle.

The parts in this kit are the normal wear and tear parts that should be replaced every 2000 hours of fountain use. If the fountain is not maintained by changing these parts, chocolate can pass through the seals and damage the motor.

This kit is fairly easy to replace yourself but if you desire, you can send your fountain to us to replace it for you as part of our service plan



THIS KIT INCLUDES THE FOLLOWING PARTS: 2 BEARINGS, 2 SEALS I LONG LIFE SQUARE DRIVER SHAFT AND I BOTTOM SEAL

#### Stabilizer-34/44" Commercial Fountain

Stabilizer for the Commercial 34" and 44" Montezuma and Sephra chocolate fountains. The stabilizer fits at the top of the cylinder or tube of the fountain and holds the auger or screw that pulls the chocolate to the top in place.

This stabilizer is for the Quick Set tier system which means that it will only work on tiersets where the tiers simply slide down and rest on a ledge and are not screwed on to the center cylinder.





P.O Box 123551, Unit 306 Bayswater Tower, Business Bay, Dubai UAE Tel: +971 4 447 2433 Fax: +971 4 447 2434 www.specialgourmetintl.com